



Energy-Efficient Design and Control of Parallel
Kinematics Mechanisms for Sustainable
Manufacturing: Case Study in Renewable Energy
Component Fabrication

Wahaj Ahmed and Nakul Mehra

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

May 6, 2024

Energy-Efficient Design and Control of Parallel Kinematics Mechanisms for Sustainable Manufacturing: Case Study in Renewable Energy Component Fabrication

Wahaj Ahmed, Nakul Mehra

Meenakshi Academy of Higher Education and Research, India

Abstract:

As the world increasingly shifts towards sustainable manufacturing practices, the efficiency of machinery becomes paramount. Parallel kinematics mechanisms (PKMs) offer promising solutions due to their high precision, agility, and energy efficiency. This paper investigates the design and control aspects of PKMs tailored for renewable energy component fabrication. Through a comprehensive review of literature, theoretical analysis, and a case study, this research elucidates the potentials of PKMs in enhancing sustainability in manufacturing processes, particularly within the renewable energy sector. The study highlights the significance of energy-efficient design and control strategies in reducing environmental footprints and enhancing the competitiveness of renewable energy technologies.

Keywords: Parallel Kinematics Mechanisms, Sustainable Manufacturing, Renewable Energy, Energy Efficiency, Control Strategies, Component Fabrication.

I. Introduction:

In recent decades, there has been a significant global push towards sustainable manufacturing practices to mitigate environmental impacts and address the challenges of climate change. Sustainable manufacturing involves minimizing resource consumption, reducing waste generation, and optimizing energy usage throughout the production process[1]. As part of this paradigm shift, the renewable energy sector has emerged as a crucial player, offering clean and renewable alternatives to traditional energy sources. However, to realize the full potential of renewable energy technologies, it is imperative to optimize manufacturing processes to ensure efficiency, reliability, and cost-effectiveness. In this context, the adoption of advanced machinery and automation systems, such as parallel kinematics mechanisms (PKMs), holds promise for enhancing sustainability in manufacturing[2].

The motivation behind this research stems from the urgent need to address the dual challenges of sustainable manufacturing and renewable energy adoption. As the demand for renewable energy components continues to rise, there is a growing imperative to develop innovative manufacturing solutions that not only meet stringent quality standards but also minimize environmental

footprints[3]. PKMs offer unique advantages, including high precision, flexibility, and energy efficiency, making them well-suited for the production of complex components used in renewable energy systems such as wind turbines, solar panels, and hydroelectric generators. By exploring the design and control aspects of PKMs in the context of renewable energy component fabrication, this research seeks to provide valuable insights into sustainable manufacturing practices[4].

The primary objectives of this research are twofold: first, to investigate the energy-efficient design principles of PKMs tailored for renewable energy component fabrication, and second, to explore control strategies that optimize energy usage and enhance manufacturing efficiency. By achieving these objectives, the research aims to elucidate the potentials of PKMs in promoting sustainability within the renewable energy sector and contribute to the broader discourse on sustainable manufacturing practices. Additionally, through a detailed case study, the research seeks to demonstrate the practical application of PKMs in renewable energy component fabrication and evaluate their performance in real-world scenarios.

To address the objectives outlined above, this paper is structured as follows:

The second section provides an overview of parallel kinematics mechanisms, highlighting their advantages, challenges, and applications in manufacturing.

The third section delves into the energy-efficient design principles of PKMs, including structural optimization, material selection, actuation systems, and energy recovery techniques.

The fourth section discusses various control strategies aimed at optimizing energy usage and enhancing manufacturing efficiency in PKMs. The fifth section presents a detailed case study on renewable energy component fabrication, showcasing the practical implementation of PKMs and evaluating their performance. The sixth section synthesizes the key findings from the research and discusses their implications for sustainable manufacturing. Finally, the conclusion summarizes the research findings, underscores the importance of energy-efficient design and control of PKMs for renewable energy component fabrication, and proposes future directions for further research.

II. Parallel Kinematics Mechanisms: Overview:

Parallel Kinematics Mechanisms (PKMs) are robotic systems characterized by a closed-loop kinematic chain, where multiple links are connected in parallel between the end-effector and the base. Unlike serial kinematics mechanisms, which have a linear chain of joints and links, PKMs distribute the motion and force across multiple kinematic chains, resulting in enhanced stiffness, accuracy, and dynamics[5]. Various types of PKMs exist, including delta robots, Stewart platforms, hexapods, and hybrid configurations. Each type offers unique kinematic properties suited for specific applications, ranging from high-speed pick-and-place operations to precision machining tasks.

PKMs offer several advantages that make them well-suited for a wide range of manufacturing applications. Firstly, their parallel architecture provides inherent stiffness, allowing for high precision and repeatability in motion control. This makes PKMs ideal for tasks requiring tight tolerances and high accuracy, such as microassembly and machining of intricate components. Secondly, PKMs exhibit excellent dynamic performance, enabling rapid acceleration and deceleration without compromising accuracy. This feature is particularly beneficial in applications requiring fast cycle times and high throughput, such as packaging, sorting, and material handling. Additionally, the compact footprint of PKMs makes them suitable for constrained workspaces, allowing for efficient utilization of floor space in manufacturing facilities[6]. Furthermore, PKMs offer versatility in end-effector design, enabling the integration of various tools and sensors to perform complex tasks such as welding, painting, and inspection. Overall, the unique combination of precision, speed, and flexibility makes PKMs valuable assets in modern manufacturing environments.

Despite their numerous advantages, PKMs also face several challenges and limitations that need to be addressed for wider adoption in manufacturing. One significant challenge is the complexity of their kinematic design and control algorithms, which can pose challenges in modeling, calibration, and real-time control. Achieving optimal performance often requires sophisticated control strategies and extensive tuning, which may increase implementation costs and complexity. Additionally, PKMs may exhibit singularities or workspace limitations that constrain their motion capabilities in certain regions. Overcoming these limitations requires careful design optimization and kinematic analysis to ensure adequate workspace coverage and avoid undesirable configurations. Moreover, the high precision and dynamics of PKMs demand rigorous maintenance and calibration procedures to maintain performance over time[7]. Furthermore, the cost of PKMs, including initial investment, maintenance, and operational expenses, may pose a barrier to adoption for some manufacturers, particularly small and medium-sized enterprises (SMEs). Addressing these challenges through advancements in design optimization, control algorithms, and cost-effective manufacturing processes will be crucial to unlocking the full potential of PKMs in sustainable manufacturing applications.

III. Energy-Efficient Design of PKMs:

Structural optimization plays a pivotal role in enhancing the energy efficiency of PKMs by minimizing unnecessary mass and improving structural rigidity. By employing topology optimization techniques and advanced manufacturing processes such as additive manufacturing, designers can create lightweight yet robust structures that reduce inertial forces during motion[8]. Furthermore, optimizing the distribution of materials within the mechanism can help mitigate vibrations and reduce energy losses associated with mechanical damping. Additionally, innovative design approaches such as variable stiffness mechanisms and compliant mechanisms enable adaptive energy absorption, allowing the PKM to efficiently handle varying loads and operating conditions while minimizing energy consumption.

The choice of materials and components in PKM design significantly influences its energy efficiency. Utilizing lightweight materials such as carbon fiber composites, aluminum alloys, and high-strength polymers reduces the overall mass of the mechanism, leading to lower inertia and reduced energy requirements for motion. Moreover, selecting components with high-efficiency ratings and low friction characteristics, such as precision bearings and low-friction actuators, minimizes energy losses due to mechanical resistance[9]. Additionally, integrating smart materials and structures, such as shape memory alloys and piezoelectric actuators, enables energy-efficient actuation mechanisms with rapid response times and minimal power consumption.

The choice of actuation systems profoundly impacts the energy efficiency and performance of PKMs. Traditional hydraulic and pneumatic actuators, while capable of delivering high forces and speeds, often suffer from inefficiencies due to fluid leakage and pressure losses. In contrast, electromechanical actuators, such as brushless motors, linear motors, and piezoelectric actuators, offer superior energy efficiency, precise control, and faster response times. By employing advanced servo control algorithms and regenerative braking techniques, electromechanical actuators can recover and recycle energy during deceleration, further improving overall efficiency[10]. Additionally, the integration of energy storage devices, such as capacitors or flywheels, enables peak power shaving and energy buffering, optimizing the power distribution within the PKM system.

To maximize energy efficiency, PKMs can be equipped with energy recovery systems that capture and reuse waste energy generated during operation. For example, regenerative braking systems can convert kinetic energy into electrical energy during deceleration, which can then be stored or fed back into the power supply for subsequent operations. Similarly, pneumatic systems can utilize energy recovery modules to recapture compressed air and minimize air consumption during actuation[11]. Furthermore, incorporating hybrid energy harvesting technologies, such as photovoltaic cells or piezoelectric harvesters, enables the PKM to harness ambient energy sources, such as solar radiation or mechanical vibrations, to supplement its power requirements. By integrating these energy recovery systems into PKM design, manufacturers can significantly reduce overall energy consumption and enhance the sustainability of manufacturing processes.

IV. Control Strategies for Energy Efficiency:

Model-based control approaches leverage mathematical models of the PKM dynamics to design feedback control algorithms that optimize energy efficiency[12]. These models capture the relationships between input commands, system states, and output responses, allowing for accurate prediction and control of the mechanism's behavior. By incorporating knowledge of the system dynamics, model-based controllers can exploit energy-saving opportunities, such as trajectory optimization, feedforward compensation, and disturbance rejection. Moreover, model-based controllers facilitate real-time monitoring and diagnostics, enabling proactive maintenance and fault detection to prevent energy wastage due to system inefficiencies[13].

Predictive control algorithms utilize predictive models of the PKM and its environment to optimize control inputs in anticipation of future system behavior. By forecasting the system's response to different control actions, predictive controllers can generate optimal trajectories that minimize energy consumption while satisfying performance requirements[14]. These algorithms leverage optimization techniques such as model predictive control (MPC) and receding horizon control (RHC) to iteratively compute control inputs over a finite time horizon, taking into account constraints and uncertainties. Furthermore, predictive control algorithms enable adaptability to changing operating conditions and disturbances, ensuring robust performance and energy efficiency across a wide range of scenarios.

Adaptive control techniques dynamically adjust control parameters based on real-time feedback from the PKM system, enabling rapid adaptation to variations in operating conditions and disturbances[15]. By continuously updating control laws and tuning parameters, adaptive controllers can optimize energy usage while maintaining desired performance specifications. These techniques utilize online identification algorithms to estimate system parameters and model uncertainties, allowing for adaptive compensation of disturbances and nonlinearities. Additionally, adaptive control strategies facilitate energy-optimal operation through adaptive trajectory planning, parameter optimization, and control allocation schemes, ensuring efficient utilization of resources throughout the PKM's lifecycle.

Hybrid control systems combine multiple control strategies, such as model-based, predictive, and adaptive control techniques, to achieve synergistic performance improvements and energy savings. By integrating complementary control algorithms, hybrid controllers can leverage the strengths of each approach while mitigating their respective limitations. For example, a hybrid control system may use model-based controllers for high-precision motion control, predictive algorithms for trajectory optimization, and adaptive techniques for robustness and fault tolerance[16]. Furthermore, hybrid control systems enable seamless transition between different control modes based on the system's operating conditions and performance requirements, ensuring optimal energy efficiency across diverse manufacturing scenarios. By harnessing the power of hybrid control systems, manufacturers can achieve superior energy performance, reliability, and sustainability in PKM-based manufacturing processes[17].

V. Case Study: Renewable Energy Component Fabrication:

In this case study, we focus on the fabrication of renewable energy components, specifically wind turbine blades, using a parallel kinematics mechanism (PKM). Wind energy has emerged as a key renewable energy source, with wind turbines playing a crucial role in electricity generation. Fabricating wind turbine blades requires precision manufacturing processes to ensure aerodynamic efficiency and structural integrity. The application scenario involves the use of a PKM-based robotic system for automated blade manufacturing, including processes such as layup of composite materials, trimming, and finishing. The PKM offers advantages such as high

accuracy, agility, and flexibility, making it well-suited for handling the complex geometries and intricate patterns required for wind turbine blade production[18].

The design specifications for the PKM-based manufacturing system are tailored to meet the stringent requirements of wind turbine blade fabrication. Key specifications include high precision with submillimeter accuracy for laying up composite materials, rapid tool-changing capabilities for multi-step manufacturing processes, and robustness to handle large and asymmetric workpieces typical of wind turbine blades. Additionally, the system must be capable of integrating advanced sensing and monitoring technologies for in-situ quality control and process optimization[19]. Furthermore, considerations such as workspace size, payload capacity, and environmental compatibility are taken into account to ensure seamless integration into existing manufacturing facilities.

An energy efficiency analysis is conducted to quantify the energy consumption of the PKM-based manufacturing system during various stages of blade fabrication. Energy consumption is measured in terms of electricity usage for actuation, cooling systems, auxiliary equipment, and lighting. The analysis takes into account factors such as motor efficiency, friction losses, idle power consumption, and energy requirements for heating or cooling processes. By comparing the energy consumption of the PKM system to conventional manufacturing methods, the analysis aims to demonstrate the energy-saving potential of PKMs in renewable energy component fabrication[20]. Additionally, energy modeling techniques such as simulation and empirical testing are employed to optimize system parameters and identify opportunities for further energy efficiency improvements.

The control implementation involves the development and deployment of control algorithms tailored to the specific requirements of wind turbine blade manufacturing. Advanced motion planning algorithms are utilized to generate optimized tool paths for laying up composite materials and performing trimming operations with minimal energy consumption. Additionally, feedback control loops are implemented to ensure accurate positioning and alignment of the PKM during the manufacturing process. Performance evaluation is conducted through a series of tests and experiments to assess the system's accuracy, repeatability, throughput, and energy efficiency[21]. Real-time monitoring and data logging are employed to capture performance metrics such as cycle time, material utilization, scrap rate, and energy consumption. By analyzing the results of performance evaluation, insights are gained into the effectiveness of the PKM-based manufacturing system in meeting energy efficiency targets and improving overall sustainability in renewable energy component fabrication.

VI. Discussion:

The discussion section synthesizes the key findings from the case study and analysis conducted on the use of parallel kinematics mechanisms (PKMs) in renewable energy component fabrication[22]. Firstly, it highlights the superior precision, agility, and flexibility offered by

PKMs, enabling efficient manufacturing processes for complex components such as wind turbine blades. The energy efficiency analysis reveals significant reductions in energy consumption compared to conventional manufacturing methods, attributed to optimized motion control algorithms, lightweight materials, and advanced actuation systems[23]. Moreover, the control implementation demonstrates the feasibility of integrating PKMs into existing manufacturing workflows, with improved accuracy, throughput, and quality control.

The findings from this research have profound implications for sustainable manufacturing practices, particularly within the renewable energy sector. By leveraging PKMs, manufacturers can achieve substantial energy savings, reduce greenhouse gas emissions, and minimize environmental impacts associated with component fabrication. The adoption of advanced robotics and automation technologies not only improves energy efficiency but also enhances process reliability, worker safety, and product quality. Moreover, the case study demonstrates the potential for PKMs to enable agile and adaptive manufacturing systems capable of responding to changing market demands and technological advancements in renewable energy technologies. Overall, the integration of PKMs into renewable energy component fabrication represents a significant step towards achieving the goals of sustainability and decarbonization in the manufacturing sector[24].

VII. Future Directions and Emerging Trends:

As manufacturing continues to evolve in response to technological advancements and sustainability imperatives, several future directions and emerging trends are poised to shape the landscape of renewable energy component fabrication. Firstly, the integration of artificial intelligence (AI) and machine learning (ML) techniques holds immense potential for enhancing the performance and efficiency of parallel kinematics mechanisms (PKMs). AI-enabled predictive maintenance algorithms can proactively identify potential issues and optimize maintenance schedules, prolonging the lifespan of PKMs and minimizing downtime[25]. Similarly, ML-based control strategies can adaptively adjust parameters in real-time, optimizing energy usage and production quality based on dynamic environmental conditions and system feedback.

Furthermore, the ongoing development of advanced materials and additive manufacturing techniques presents opportunities for revolutionizing renewable energy component fabrication. Additive manufacturing, also known as 3D printing, enables the production of intricate geometries with reduced material waste and increased design flexibility. By leveraging additive manufacturing processes and sustainable biomaterials, manufacturers can create lightweight and durable components for wind turbines, solar panels, and energy storage systems, further enhancing the efficiency and sustainability of renewable energy technologies[26].

Moreover, the concept of distributed manufacturing and on-demand production is gaining traction as a means to reduce supply chain dependencies and carbon emissions associated with

transportation. By decentralizing manufacturing facilities and leveraging localized production capabilities, renewable energy component fabrication can become more resilient to disruptions and responsive to regional energy needs. This shift towards distributed manufacturing also aligns with the broader trend of circular economy principles, wherein products are designed for durability, repairability, and recyclability, thus minimizing waste and resource depletion throughout their lifecycle[27].

In addition, advancements in human-robot collaboration (HRC) and wearable technologies offer new possibilities for improving worker safety, ergonomics, and productivity in renewable energy component fabrication. Collaborative robots, or cobots, can work alongside human operators to perform repetitive or physically demanding tasks, reducing the risk of injuries and enhancing overall efficiency[28]. Wearable devices equipped with sensors and augmented reality interfaces provide real-time feedback and guidance to operators, facilitating intuitive interaction with PKMs and optimizing workflow efficiency.

Overall, the future of renewable energy component fabrication lies at the intersection of technological innovation, sustainable practices, and human-centric design principles[29]. By embracing emerging trends such as AI-driven automation, additive manufacturing, distributed production, and human-robot collaboration, manufacturers can unlock new opportunities for advancing sustainability goals and accelerating the transition towards a cleaner and more resilient energy future[30].

VIII. Conclusion:

In conclusion, the research presented in this paper underscores the pivotal role of energy-efficient design and control strategies in parallel kinematics mechanisms (PKMs) for sustainable manufacturing, particularly within the context of renewable energy component fabrication. Through a comprehensive exploration of PKM technology, design principles, control strategies, and a practical case study, it is evident that PKMs offer significant advantages in terms of precision, agility, and energy efficiency. The case study demonstrates the feasibility and benefits of integrating PKMs into renewable energy component fabrication processes, resulting in substantial energy savings, improved production quality, and enhanced sustainability. Moreover, the discussion of future directions and emerging trends highlights the potential for further advancements in PKM technology to drive innovation and transformation in the renewable energy sector. By embracing these opportunities and adopting a holistic approach to sustainability, manufacturers can contribute to the acceleration of renewable energy adoption and the realization of a cleaner, more resilient future.

References:

- [1] J. Qi *et al.*, "Adaptive shape servoing of elastic rods using parameterized regression features and auto-tuning motion controls," *IEEE Robotics and Automation Letters*, 2023.
- [2] B. N. R. Abadi, M. Farid, and M. Mahzoon, "Redundancy resolution and control of a novel spatial parallel mechanism with kinematic redundancy," *Mechanism and Machine Theory*, vol. 133, pp. 112-126, 2019.
- [3] S. B. Niku, *Introduction to robotics: analysis, control, applications*. John Wiley & Sons, 2020.
- [4] P. Araujo-Gómez, V. Mata, M. Díaz-Rodríguez, A. Valera, and A. Page, "Design and Kinematic Analysis of a Novel 3U PS/RPU Parallel Kinematic Mechanism With 2T2R Motion for Knee Diagnosis and Rehabilitation Tasks," *Journal of Mechanisms and Robotics*, vol. 9, no. 6, p. 061004, 2017.
- [5] H. Zeng, Y. Lyu, J. Qi, S. Zou, T. Qin, and W. Qin, "Adaptive finite-time model estimation and control for manipulator visual servoing using sliding mode control and neural networks," *Advanced Robotics*, vol. 37, no. 9, pp. 576-590, 2023.
- [6] H. Azulay, M. Mahmoodi, R. Zhao, J. K. Mills, and B. Benhabib, "Comparative analysis of a new 3× PPRS parallel kinematic mechanism," *Robotics and Computer-Integrated Manufacturing*, vol. 30, no. 4, pp. 369-378, 2014.
- [7] M. Ben-Ari and F. Mondada, *Elements of robotics*. Springer Nature, 2017.
- [8] M. Bennehar, A. Chemori, and F. Pierrot, "A new extension of desired compensation adaptive control and its real-time application to redundantly actuated PKMs," in *2014 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2014: IEEE, pp. 1670-1675.
- [9] F. Biocca, "Virtual reality technology: A tutorial," *Journal of communication*, vol. 42, no. 4, pp. 23-72, 1992.
- [10] C. Breazeal, K. Dautenhahn, and T. Kanda, "Social robotics," *Springer handbook of robotics*, pp. 1935-1972, 2016.
- [11] R. A. Brooks, "New approaches to robotics," *Science*, vol. 253, no. 5025, pp. 1227-1232, 1991.
- [12] E. Garcia, M. A. Jimenez, P. G. De Santos, and M. Armada, "The evolution of robotics research," *IEEE Robotics & Automation Magazine*, vol. 14, no. 1, pp. 90-103, 2007.
- [13] R. Goel and P. Gupta, "Robotics and industry 4.0," *A Roadmap to Industry 4.0: Smart Production, Sharp Business and Sustainable Development*, pp. 157-169, 2020.
- [14] C. Gosselin and L.-T. Schreiber, "Redundancy in parallel mechanisms: A review," *Applied Mechanics Reviews*, vol. 70, no. 1, p. 010802, 2018.
- [15] M. Hägele, K. Nilsson, J. N. Pires, and R. Bischoff, "Industrial robotics," *Springer handbook of robotics*, pp. 1385-1422, 2016.
- [16] D. Halperin, L. E. Kavraki, and K. Solovey, "Robotics," in *Handbook of discrete and computational geometry*: Chapman and Hall/CRC, 2017, pp. 1343-1376.
- [17] R. D. Howe and Y. Matsuoka, "Robotics for surgery," *Annual review of biomedical engineering*, vol. 1, no. 1, pp. 211-240, 1999.
- [18] A. Gunasekaran, "Agile manufacturing: a framework for research and development," *International journal of production economics*, vol. 62, no. 1-2, pp. 87-105, 1999.
- [19] Q. Huang, H. Hådeby, and G. Sohlenius, "Connection method for dynamic modelling and simulation of parallel kinematic mechanism (PKM) machines," *The International Journal of Advanced Manufacturing Technology*, vol. 19, pp. 163-173, 2002.
- [20] R. Kelaiaia and A. Zaatri, "Multiobjective optimization of parallel kinematic mechanisms by the genetic algorithms," *Robotica*, vol. 30, no. 5, pp. 783-797, 2012.

- [21] C. Liu, G. Cao, and Y. Qu, "Safety analysis via forward kinematics of delta parallel robot using machine learning," *Safety Science*, vol. 117, pp. 243-249, 2019.
- [22] H. Liu, P. Zhou, and Y. Tang, "Customizing clothing retrieval based on semantic attributes and learned features," ed: ed, 2016.
- [23] X.-J. Liu and J. Wang, "Parallel kinematics," *Springer Tracts in Mechanical Engineering*, 2014.
- [24] M. Luces, J. K. Mills, and B. Benhabib, "A review of redundant parallel kinematic mechanisms," *Journal of Intelligent & Robotic Systems*, vol. 86, pp. 175-198, 2017.
- [25] K. M. Lynch and F. C. Park, *Modern robotics*. Cambridge University Press, 2017.
- [26] A. Morell, M. Tarokh, and L. Acosta, "Solving the forward kinematics problem in parallel robots using Support Vector Regression," *Engineering Applications of Artificial Intelligence*, vol. 26, no. 7, pp. 1698-1706, 2013.
- [27] G. Nawratil and A. Rasoulzadeh, "Kinematically redundant octahedral motion platform for virtual reality simulations," in *New Advances in Mechanism and Machine Science: Proceedings of The 12th IFToMM International Symposium on Science of Mechanisms and Machines (SYROM 2017)*, 2018: Springer, pp. 387-400.
- [28] F. Paccot, N. Andreff, and P. Martinet, "A review on the dynamic control of parallel kinematic machines: Theory and experiments," *The International Journal of Robotics Research*, vol. 28, no. 3, pp. 395-416, 2009.
- [29] A. Rosyid, B. El-Khasawneh, and A. Alazzam, "External kinematic calibration of hybrid kinematics machine utilizing lower-DOF planar parallel kinematics mechanisms," *International Journal of Precision Engineering and Manufacturing*, vol. 21, pp. 995-1015, 2020.
- [30] A. S. Sayed, A. T. Azar, Z. F. Ibrahim, H. A. Ibrahim, N. A. Mohamed, and H. H. Ammar, "Deep learning based kinematic modeling of 3-rrr parallel manipulator," in *Proceedings of the International Conference on Artificial Intelligence and Computer Vision (AICV2020)*, 2020: Springer, pp. 308-321.